Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S146	140825	effect near3 (channel or medium or condition or propagation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:33
S189	5780	(375/219 375/224 375/225 375/221 714/733 714/738 714/739 708/250 708/252).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 10:20
S160	629	BISt same conditions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:45
S250	286	(PLL same (jitter with clock)) and (BIST or ATE or (self near2 test$3) or test$3)	USPAT	OR	ON	2006/02/08 12:52
S138	209	BIST and (noise near2 generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:21
S251	167	(PLL same (jitter with clock)) and (BIST or ATE or (self near2 test$3) or test$3) and ((frequency or delay or width or duty) with (adjust$3 or programm$3 or chang$3 or vary or variable or adjustable)) same clock	USPAT	OR	ON	2006/02/08 12:53
S108	142	((test$3 near3 (signal or waveform or sequence)) near2 (distort$3 or impair$3 or condition$4)) with (predetermined or calculated or deliberate)	USPAT; USOCR	OR	ON	2006/02/07 17:05
S53	140	S24 and (reconstruct$3 or regenrat$3)	USPAT	OR	ON	2005/08/08 12:43
S252	139	(PLL same (jitter with clock)) and (BIST or ATE or (self near2 test$3) or test$3) and ((frequency or delay or width or duty) with (adjust$3 or programm$3 or chang$3 or vary or variable or adjustable) with clock)	USPAT	OR	ON	2006/02/08 12:54
S54	81	S24 and ((data or signal) near2 (reconstruct$3 or regenrat$3))	USPAT	OR	ON	2005/08/08 12:44
S57	54	S55 and (transmitter and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/08 12:44

S249	53	(PLL same (jitter with clock)) and (BIST or ATE or (self near2 test$3))	USPAT	OR	ON	2006/02/08 12:52
S148	45	S147 and test$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:34
S165	39	Whikehart near2 W	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 18:19
S248	35	(PLL with jitter with clock) and (BIST or ATE or (self near2 test$3))	USPAT	OR	ON	2006/02/08 12:51
S142	33	BIST with (control$3 or generat$3 or produc$3) with ((noise or error or erroneous or distort$3) near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:29
S143	33	BIST with (control$3 or generat$3 or produc$3) with ((noise or error or erroneous or distort$3 or non$1ideal) near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:30
S166	27	filter with coefficient with matched with gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 18:36
S174	18	((pulse$1width or pulsewidth or (pulse adj width))) same ((LFSR) or (linear adj2 feedback adj2 shift adj2 register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:51
S107	15	((test$3 near3 (signal or waveform or sequence)) near2 (distort$3 or impair$3 or condition$4)) with (predetermied or calculated or deliberate)	USPAT; USOCR	OR	ON	2006/02/07 17:05
S262	15	(reference with clock with (width or duty)) and (recover$3 near3 clock) and (PLL) and (jitter) and (self near2 test$3)	USPAT	OR	ON	2006/02/08 13:11
S58	9	(US-20050066247-$ or US-20020129311-$).did. or (US-6564349-$ or US-6834367-$ or US-5835501-$ or US-6670800-$ or US-6625560-$ or US-6871311-$ or US-6816991-$).did.	US-PGPUB; USPAT	OR	ON	2005/08/08 14:17

S12 0		7	BIST and (attenuat$3 with test with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:15
S12 1		7	BIST and (attenuat$3 with test with (signal or sequence or pattern or waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:15
S17 5		7	((pulse$1width or pulsewidth or (pulse adj width))) same ((LFSR) or (linear adj2 feedback adj2 shift adj2 register)) and test$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:53
S10 9		6	((test$3 near3 (signal or waveform or sequence)) near2 (distort$3 or impair$3 or condition$4)) with (predetermined or calculated or deliberate) and BIST	USPAT; USOCR	OR	ON	2006/02/07 17:06
S11 0		6	((test$3 near3 (signal or waveform or sequence)) near2 (distort$3 or impair$3 or condition$4)) with (predetermined or deliberate) and BIST	USPAT; USOCR	OR	ON	2006/02/07 17:07
S25 3		4	(PLL same (jitter with clock)) and (BIST or ATE or (self near2 test$3) or test$3) and ((frequency or delay or width or duty) with (adjust$3 or programm$3 or chang$3 or vary or variable or adjustable) with clock) and S189	USPAT	OR	ON	2006/02/08 12:55
S11 9		2	BIST same(attenuat$3 with test with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:14
S18 8		2	("6201829").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/08 10:18
S11 3		1	((test$3 near3 (signal or waveform or sequence)) near2 (distort$3 or impair$3 or condition$4)) with (predetermined or deliberate) with (amplitude and phase)	USPAT; USOCR	OR	ON	2006/02/07 17:09
S12 2		0	BIST same (slur$3 near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 17:15